

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7274780").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/19 15:05
L2	58	graceful adj termination	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L3	17	graceful adj termination same (client server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L4	12	server near2 unavailable with (delet\$3 remov\$3) with list\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L5	10	graceful\$4 near terminat\$3 and (sip session adj initiation adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L6	6236	(370/352).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/19 15:13
L7	97	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3) same (availab\$4 unavailable)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L8	91	(sip session adj initiation adj protocol) same (time interval period) with (terminat\$3 shut\$down) same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L9	175	(continu\$4 maintain\$3) near2 support same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L10	4	(connection session) with protocol same (shut\$down shut adj down terminat\$4 fail\$over fail adj over) same guard	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L11	4752	(connection session) same (shut\$down shut adj down terminat\$4 fail\$over fail adj over) same guard	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L12	2	(connection session) same (shut\$down shut adj down terminat\$4 fail\$over fail adj over) same guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L13	0	session same (shut\$down shut adj down terminat\$4 fail\$over fail adj over) same guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13

EAST Search History

L14	0	session with protocol same (shut\$down shut adj down terminat\$4 fail\$over fail adj over) same guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L15	0	session with protocol with (shut\$down shut adj down terminat\$4 fail\$over fail adj over) with guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L16	1820	session with protocol with (shut\$down shut adj down terminat\$4 fail\$over fail adj over) guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L17	11	(sip session adj initiation adj protocol) and guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L18	3	(sip session adj initiation adj protocol) same guard adj timer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L19	65	(sip session adj initiation adj protocol) same (shut\$down shut adj down fail\$over fail adj over)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L20	17	(sip session adj initiation adj protocol) same (shut\$down shut adj down fail\$over fail adj over) same (maintain\$4 continu\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L21	211	(sip session adj initiation adj protocol) same (shut\$down shut adj down terminat\$3 fail\$over fail adj over) same (maintain\$4 continu\$4) same (time timer period)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L22	589	(sip session adj initiation adj protocol) same (shut\$down shut adj down terminat\$3 fail\$over fail adj over) same (maintain\$4 continu\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L23	3156	(sip session adj initiation adj protocol) same (shut\$down shut adj down terminat\$3 fail\$over fail adj over)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L24	464	(sip session adj initiation adj protocol) same (shut\$down shut adj down terminat\$3 fail\$over fail adj over) same (maintain continu\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L25	30302	(sip session near3 initiation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13

EAST Search History

L26	6	(sip session near3 initiation) same (reject\$4 refus\$4 terminat\$4 end\$3) same (grace\$4 graceful)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L27	10	grace\$6 with (shut\$down shut adj down terminat\$4) same (period timer) and (sip session near3 initiation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L28	1	grace\$6 with (shut\$down shut adj down terminat\$4) same guard and (sip session near3 initiation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L29	9	grace\$6 with (shut\$down shut adj down terminat\$4) same (sip session near3 initiation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L30	1	(maintain\$3 continu\$4) with support with (invite) same session with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L31	2	(sip session adj initiation adj protocol) same (period time time\$out interval) same (reject\$4 refus\$4 terminat\$4 end\$3) same session same (grace\$4 graceful)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L32	4189	(709/227).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 15:13
L33	110	(graceful\$3 retention adj time grace adj period time\$out) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L34	228	(graceful\$3 retention adj time grace adj period timer time\$out) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L35	140	(graceful\$3 retention adj time grace adj period) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L36	15	(graceful\$3 retention adj time grace adj period) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3) same (session connection)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L37	1	(graceful\$3 retention adj time grace adj period) with (timer time\$out period interval count\$3) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L38	76	(graceful\$3 retention adj time) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L39	2	(graceful\$3) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3) same session	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L40	89	(session adj initiation adj protocol sip) same ((server service) with (shut\$down terminat\$6 unavailable not adj available) with (time interval period))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L41	244	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj (available accessible attainable obtainable reachable) unattainable unobtainable unreachable no adj server out near2 service idle))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13

EAST Search History

L42	108	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj (available accessible attainable obtainable reachable) unattainable unobtainable unreachable))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L43	13	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj available) with (time interval period))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L44	83	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj available))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L45	63	(session adj initiation adj protocol sip) same ((server service) with (test heartbeat status) near2 message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L46	46	(sip session adj initiation adj protocol) and (time interval period) with (terminat\$3 shut\$down) with wait\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L47	269	(sip session adj initiation adj protocol) same (period time time\$out interval expir\$3) same invit\$3 near3 message same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L48	276	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3) same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L49	33	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3) same server same (availab\$4 unavailable)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L50	254	(sip session adj initiation adj protocol) same (time interval period) with (terminat\$3 shut\$down)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L51	19	(sip session adj initiation adj protocol) same (time\$out expir\$5) same invit\$3 near3 message same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L52	224	(sip session adj initiation adj protocol) same (unavailable not near available)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L53	84	(sip session adj initiation adj protocol) same server same (shut\$down terminat\$4) near5 service	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13

EAST Search History

L54	101	(sip session adj initiation adj protocol) same server same (unavailable not near available)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L55	8	(sip session adj initiation adj protocol) same server same shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L56	56	(sip session adj initiation adj protocol) with ((stop\$4 terminat\$6 end\$3)) near3 support same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L57	2	(sip session adj initiation adj protocol) with (graceful near terminat\$6) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L58	1	(sip session adj initiation adj protocol) with server near2 shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L59	23	(sip session adj initiation adj protocol) with server with (unavailabl\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L60	4	(sip session adj initiation adj protocol) with server with shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L61	49	server with (off\$line unavailable shut\$down terminat\$5) near2 graceful	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L62	239	server with (off\$line unavailable shut\$down) with (message notification event) with (time counter time\$stamp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L63	17	server with (off\$line unavailable shut\$down) with (message notification event) with (time counter time\$stamp) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L64	43	server with (off\$line unavailable shut\$down) with graceful	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L65	268	session adj initiation adj protocol same (period time interval) same (reject\$4 refus\$4 terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13

EAST Search History

L66	3102	session adj initiation adj protocol same (telephone telecommunication)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L67	70	session adj initiation adj protocol same (telephone telecommunication) same server same message	USPAT	OR	ON	2007/11/19 15:13
L68	8	session adj initiation adj protocol same (telephone telecommunication) same server same message same invite	USPAT	OR	ON	2007/11/19 15:13
L69	938	(379/88.17).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/19 15:13
L70	74	session adj initial adj protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L71	8665	session adj initiation adj protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L72	683	(graceful\$3 retention adj time grace adj period timer time\$out period interval count\$3) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:13
L73	863	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L74	753	(session adj initiation adj protocol sip) same (shut\$down unavailable not adj (available accessible attainable obtainable reachable) unattainable unobtainable unreachable no adj server out near2 service idle).	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L75	442	(session adj initiation adj protocol sip) and ((server service) with (shut\$down terminat\$6 unavailable not adj available) with (time interval period))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L76	2161	(709/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 15:13
L77	721	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 15:13
L78	1137	(sip session adj initiation adj protocol) same server same (shut\$down terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L79	0	(sip session adj initiation adj protocol) with (stop\$4 near support\$4) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L80	748	(sip session adj initiation adj protocol) same (period time time\$out interval) same (unavailabl\$5 reject\$4 refus\$4 terminat\$4 end\$3) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L81	733	(sip session adj initiation adj protocol) same (period time time\$out interval) same (reject\$4 refus\$4 terminat\$4 end\$3) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:13
L82	421	session adj initiation adj protocol same (period time time\$out interval) same (reject\$4 refus\$4 terminat\$4 end\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:33
L83	6236	(370/352).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/19 15:32
L84	938	(379/88.17).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/19 15:33
L85	1445	83 and (session adj initiation adj protocol sip)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:33
L86	155	84 and (session adj initiation adj protocol sip)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:33
L87	331	83 and (session adj initiation adj protocol sip) with terminat\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:33
L88	84	83 and (session adj initiation adj protocol) with terminat\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:33
L89	1092	83 and (session adj initiation adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:33

site:ieeexplore.ieee.org "session initiation prot

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 20 of 20 from ieeexplore.ieee.org for "session initiation protocol" graceful. (0.18 seconds)

[QCRed document](#)

graceful evolution from the current system to die new design. I. INTRODUCTION ...
 System (ITSS), **Session Initiation Protocol** (SIP) [4] provides ...
[ieeexplore.ieee.org/iel5/9530/30295/01391412.pdf?arnumber=1391412](#) -
[Similar pages](#)

[A SIP-based Multicast Framework in MANET](#)

1) **Graceful** leaving:. When a member wants to leave a mesh gracefully, it notifies
Session Initiation Protocol", International Conference on Applied ...
[ieeexplore.ieee.org/iel5/10102/32400/01512908.pdf?arnumber=1512908](#) -
[Similar pages](#)

[An architecture for residential internet telephony service - IEEE ...](#)

either the IETF's **Session Initiation Protocol** [1] or the ITU's A **graceful**. restart
 indicates that the endpoints will be taken out of ser- ...
[ieeexplore.ieee.org/iel5/65/16630/00767139.pdf](#) - [Similar pages](#)

[Extending domain name service to support internet telephony ...](#)

System (ITSS), **Session Initiation Protocol** (SIP) [41] provides a **graceful**
 evolution from the current system to the new design. Our future work based ...
[ieeexplore.ieee.org/iel5/9530/30295/01391412.pdf](#) - [Similar pages](#)

[Performance evaluation of telephony routing over IP \(TRIP\) - IP ...](#)

Session Initiation Protocol (SIP) uses simple text based. messaging to provide ...
graceful close [3]. TRIP is independent of the underlying ...
[ieeexplore.ieee.org/iel5/8863/28012/01251223.pdf?arnumber=1251223](#) -
[Similar pages](#)

[A DBT-based Mobile Multicast Protocol](#)

supports load balancing and **graceful** degradation such. that when a router does not
 have resources to how to use **Session Initiation Protocol** (SIP) to ...
[ieeexplore.ieee.org/iel5/10155/32463/01515534.pdf](#) - [Similar pages](#)

[Applying a Disciplined Approach to the Development of a Context ...](#)

is based on the **Session Initiation Protocol** (SIP) [16], the. emerging standard for
 session and stances and allow for **graceful** evolution of the system. ...
[ieeexplore.ieee.org/iel5/9592/30312/01392768.pdf?arnumber=1392768](#) -
[Similar pages](#)

[Intelligent services in converged networks evolution steps in the ...](#)

monitoring of reachability and a **graceful** termination. mechanism. ... The **Session**
Initiation Protocol. [16]. is an application-layer ...
[ieeexplore.ieee.org/iel5/8474/26699/01191465.pdf?arnumber=1191465](#) -
[Similar pages](#)

[AN ARCHITECTURE FOR RESIDENTIAL INTERNET TELEPHONY SERVICE](#)

A **graceful** restart indi-. cates that the endpoints will be taken out of service M.
 Handley et al., "SIP: **Session Initiation Protocol**," RFC ...
[ieeexplore.ieee.org/iel5/4236/16671/00769425.pdf](#) - [Similar pages](#)

[Layout 1](#)

Session Initiation Protocol (SIP) is primarily towards Johnny to. ensure a
graceful. call termination. ZAGHLOUL LAYOUT 8/21/07 1:40 PM Page 128 ...
[ieeexplore.ieee.org/iel5/35/4342838/04342867.pdf?tp=&isnumber=4342838&arnumber=4342867](#) - [Similar pages](#)

[A SIP-based multicast framework in MANET - Communications, 2004 ...](#)

The **Session Initiation Protocol**. (SIP). [6] is an application- Ira MN is
 disconnected ivitliout **graceful** leaving, the MNs ...
[ieeexplore.ieee.org/iel5/9581/30298/01391725.pdf](#) - [Similar pages](#)

[LIV LAYOUT](#)

Graceful failover. ensures that active calls in the MG s are. not lost. [2] M. Handley
 et al., "SIP: **Session Initiation Protocol**," IETF. RFC, Mar. ...
[ieeexplore.ieee.org/iel5/35/18942/00874981.pdf](#) - [Similar pages](#)

[Benefits of 3g architecture gradual implementation into the 2G ...](#)

term tasks that ur&c **graceful** migration from existing circuit- (BlcC)or **Session**
Initiation Protocol (SIP) Signal1,"B. mteriate ...
[ieeexplore.ieee.org/iel5/8617/27305/01214622.pdf?arnumber=1214622](#) -
[Similar pages](#)

[Layout 1](#)

Session Initiation Protocol (SIP) is primarily. used to facilitate reservations, whereas
 compo- **graceful** call termination. ...
[ieeexplore.ieee.org/iel5/35/4342838/04342867.pdf?arnumber=4342867](#) -

Similar pages

LAPORTA LAYOUT

strates that the UMM allows **graceful** migration [1] M. Handley et al., "SIP: Session Initiation Protocol," IETF. RFC 2543, Mar. 1999. ...
ieeexplore.ieee.org/iel5/7742/27498/01224981.pdf - [Similar pages](#)

Benefits of 3g architecture gradual implementation into the 2G ...

term tasks that ur&c **graceful** migration from existing circuit-. switched networks to the new packet-enabled (BlcC)or Session Initiation Protocol (SIP) ...
ieeexplore.ieee.org/iel5/8617/27305/01214622.pdf?
isnumber=27305&prod=CNF&arnumber=1214622&arS... - [Similar pages](#)

SCTP: state of the art in research, products, and technical ...

session initiation protocol (SIP), an application. layer signaling protocol to establish multimedia a **graceful** method to modify interfaces to an ...
ieeexplore.ieee.org/iel5/35/28662/01284931.pdf - [Similar pages](#)

Number of floors for a voice-only conference on packet networks ...

allocation is **graceful**. I depends on the energies of the 6 Rosenberg, J., and Schulzrinne, H.: 'SIP: **session initiation protocol**', ...
ieeexplore.ieee.org/iel5/2191/29069/01309783.pdf?arnumber=1309783 - [Similar pages](#)

Number of floors for a voice-only conference on packet networks ...

allocation is **graceful**. I depends on the energies of the. present and past packets. 'SIP: **session initiation protocol**'. RFC 3261, IETF, Jun. ...
ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=1309783 - [Similar pages](#)

ICC 2007 Technical Papers

Cryptographically Transparent Session Initiation Protocol (SIP) Proxies.
Analysis of RSVP-TE **Graceful** Restart. ...
ieeexplore.ieee.org/iel5/4288670/4288671/04288679.pdf - [Similar pages](#)

site:ieeexplore.ieee.org "session initiation prot

Search

Advanced Search
Preferences

Web

Results 1 - 60 of 60 from ieeexplore.ieee.org for "session initiation protocol" terminate support invite period. (0.27 seconds)

Evaluation of Security Protocols for the Session Initiation Protocol

modify and terminate multimedia sessions with one or more participants. ... the three-way handshake composed of INVITE, 200 OK and ...
ieeexplore.ieee.org/iel5/4317769/4317770/04317885.pdf?arnumber=4317885 -
[Similar pages](#)

A Technique to Analyse Session Initiation Protocol Traffic

nal response for a period of time lasting at maximum Timer ... If an INVITE. j. 200OK transac- tion is successfully terminated, it is immediately re-opened ...
ieeexplore.ieee.org/iel5/10248/32586/01524383.pdf?arnumber=1524383 -
[Similar pages](#)

Evaluation of Security Protocols for the Session Initiation Protocol

modify and terminate multimedia sessions with one or more INVITE. Media session waiting period is composed of the security handshake to ...
ieeexplore.ieee.org/iel5/4317769/4317770/04317885.pdf?
isnumber=4317770&prod=CNF&arnumber=4317885... - [Similar pages](#)

Detection and Mitigation of Spam in IP Telephony Networks using ...

and termination requests. For SIP, these are INVITE and BYE [10] J. Peterson, "A Privacy Mechanism for the Session Initiation Protocol ...
ieeexplore.ieee.org/iel5/9765/30806/01426509.pdf?arnumber=1426509 -
[Similar pages](#)

QCRed document

on Session Initiation Protocol (SIP) is proposed in this paper INVITE. Figure 6, Example of Session Set-up. In order to terminate the session between ...
ieeexplore.ieee.org/iel5/9530/30295/01391404.pdf?arnumber=1391404 -
[Similar pages](#)

SIP Paging of Wireless LAN Hosts for VoIP

The Session Initiation Protocol (SIP) is an application. layer protocol that deals with the ... period in power save mode [8]. Therefore a SIP INVITE ...
ieeexplore.ieee.org/iel5/10360/32961/01543754.pdf?isnumber=&arnumber=1543754 -
[Similar pages](#)

Multicast mobility in SIP layer - Vehicular Technology Conference ...

on Session Initiation Protocol (SIP) is proposed in this paper. Anjali. Aganval ... acknowledgement of an INVITE. CANCEL is used to. terminate a request. ...
ieeexplore.ieee.org/iel5/9530/30295/01391404.pdf - [Similar pages](#)

QCRed document

agement requires a consistency support by the underlying com-. munication service. The Session Initiation Protocol (SIP) has ...
ieeexplore.ieee.org/iel5/8945/28322/01266206.pdf?arnumber=1266206 -
[Similar pages](#)

SIP-based Group Service Improvement in CDMA2000 Network

The Session Initiation Protocol (SIP) [6] is a ... Invitation to new participant (dial-out) station within one talking period (30 second as defined ...
ieeexplore.ieee.org/iel5/4343384/4343385/04343445.pdf - [Similar pages](#)

Design of gateway system between different signalling protocols...

SIP(Session Initiation Protocol) is an application- ... Call setup by the INVITE and following. ACK. method and call termination by the BYE method ...
ieeexplore.ieee.org/iel5/7259/19584/00905443.pdf - [Similar pages](#)

SIP-based agent architecture for collaborative applications ...

The Session Initiation Protocol (SIP) is an. IETF. signaling. protocol that defines how to establish; maintain and terminate ...
ieeexplore.ieee.org/iel5/8743/27701/01235832.pdf?arnumber=1235832 -
[Similar pages](#)

Session-based service discovery in peer-to-peer communications ...

communications is the Session Initiation Protocol (SIP). The termination of a media can be done by sending a. new RE-INVITE but setting the port ...
ieeexplore.ieee.org/iel5/9317/29682/01349684.pdf - [Similar pages](#)

QCRed document

Task Force as a norm for the creation and termination of. multimedia sessions. Although SIP has originally been intended. for the invitation to multicast ...
ieeexplore.ieee.org/iel5/8102/22405/01045732.pdf?arnumber=1045732 -
[Similar pages](#)

Quadruple Play - Session Management Enabler for Multimedia Streaming

A re-Invite is even beneficial because content switching by. creating a new dialog

requires the **termination** of the previous. one. This process would produce ...
ieeexplore.ieee.org/iel5/4299028/4299029/04299268.pdf?arnumber=4299268 -
[Similar pages](#)

[Congestion Avoidance Using Dynamic COdec Management: A solution ...](#)

Session Initiation Protocol (SIP) is an application-layer control ... receives SIP-
INVITE with a codec that the MG does not **support**, it ...
ieeexplore.ieee.org/iel5/10412/33074/01554190.pdf?arnumber=1554190 -
[Similar pages](#)

[Architecture for 3G and 802.16 Wireless Networks Integration with ...](#)

802.16 wireless networks, focusing on QoS **support** for. multimedia applications.
to use the **Session Initiation Protocol (SIP)** [11] along ...
ieeexplore.ieee.org/iel5/10400/33050/01551088.pdf?isnumber=&arnumber=1551088 -
[Similar pages](#)

[OCRed document](#)

The **Session Initiation Protocol (SIP)** [4][5] is an ap- plication layer signaling
protocol that allows estab- lishment, modification and **termination** of any ...
ieeexplore.ieee.org/iel5/9299/29565/01341810.pdf?arnumber=1341810 -
[Similar pages](#)

[OCRed document](#)

SESSION INITIATION PROTOCOL OVERVIEW. SIP is an application-layer control
protocol that can estab- lish, modify, and **terminate** multimedia sessions or calls ...
ieeexplore.ieee.org/iel5/35/16821/00774887.pdf?arnumber=774887 - [Similar pages](#)

[Evaluation of SIP Signaling Usability in Networked Operations](#)

Termination of Coupling. Normally a coupling definition is ended by a PUBLISH.
request, indicating an expiry-period of 0 (Expires: 0). The ...
ieeexplore.ieee.org/iel5/10432/33126/01559473.pdf?arnumber=1559473 -
[Similar pages](#)

[OCRed document](#)

The **Session Initiation Protocol (SIP)** [6] is an application- layer control protocol that
can establish, modify, and **terminate**. multimedia sessions. ...
ieeexplore.ieee.org/iel5/9581/30298/01391725.pdf?arnumber=1391725 -
[Similar pages](#)

[SIP-based Mobility Architecture for Next Generation Wireless Networks](#)

Session Initiation Protocol (SIP) pro- vides such an abstraction in providing mobility
support in. such networks. However, the handoff procedure with SIP ...
ieeexplore.ieee.org/iel5/9592/30312/01392754.pdf - [Similar pages](#)

[True number portability and advanced call screening in a SIP-based ...](#)

support for the true number portability service dcscribed in L11 M. Handley et al.,
"SIP: **Session Initiation Protocol**," IETF RFC 2543, Mar. 1999. ...
ieeexplore.ieee.org/iel5/35/16821/00774887.pdf - [Similar pages](#)

[Optimization of VoIP session setup delay over wireless links using ...](#)

In this paper, we define the. session setup delay as the **period** between the instant
the. UAC triggers the initiation with an **INVITE** request and the ...
ieeexplore.ieee.org/iel5/9481/30082/01379135.pdf?arnumber=1379135 -
[Similar pages](#)

[Seamless SIP-Based Mobility for Multimedia Applications](#)

Session Initiation Protocol (SIP). provides the required abstraction for mobility
support for multimedia applications in. such networks. ...
ieeexplore.ieee.org/iel5/65/33765/01607890.pdf - [Similar pages](#)

[Scalable Architecture and Evaluation for Multiparty Conferencing...](#)

These applications also need complicated signaling **support** to. create, **invite**, and
terminate conference sessions. Designing. and implementing such satellite ...
ieeexplore.ieee.org/iel5/49/28633/01281983.pdf?arnumber=1281983 - [Similar pages](#)

[Signaling Performance of SIP Based VoIP: A Measurement-Based Approach](#)

modify, and **terminate** multimedia sessions (conferences) such. as Internet telephony
calls [15]. Compared with H.323, SIP. UA 2. UA 1. **INVITE**. 180 Ringing ...
ieeexplore.ieee.org/iel5/10511/33286/01577742.pdf?arnumber=1577742 -
[Similar pages](#)

[A SIP-based Architecture model for Contextual Coalition Access...](#)

SIP, the **Session Initiation Protocol**, is becoming a. dominating unified standard in
both IP and SIP **INVITE** message to one or more users in his own ...
ieeexplore.ieee.org/iel5/10342/32905/01541018.pdf - [Similar pages](#)

[Eavesdropping through Mobile Phone](#)

(IMS), VoIP is provisioned through **Session Initiation Protocol** ... expected potential
eavesdropping **period** in Subsection IV-B. ...
ieeexplore.ieee.org/iel5/25/26830/101109TVT2007901060.pdf - [Similar pages](#)

[A study on SIP session timer for wireless voip - Wireless ...](#)

Force/**Session Initiation Protocol**). SIP brings simplicity, fa- **termination**. By
using the SIP Session Timer mechanism, the ...

ieeexplore.ieee.org/iel5/9744/30731/01424875.pdf?arnumber=1424875 -
[Similar pages](#)

SSVSIP

Session Initiation Protocol (SIP) constitute the provisioning of services Figure 9.

Normal session **termination**. User 1. Proxy. **invite** ...

ieeexplore.ieee.org/iel5/9739/4020601/04020603.pdf?

isnumber=4020601&prod=JNL&arnumber=4020603... - [Similar pages](#)

Performance evaluation of the dynamic system for codecs ...

Session Initiation Protocol (SIP) is an application-layer control SIP-INVITE with a codec that the. MG. does not **support**, it responds ...

ieeexplore.ieee.org/iel5/9581/30298/01391718.pdf - [Similar pages](#)

Flexible and seamless service migration for real-time ...

As for service initiation, SIP (**Session Initiation Protocol**) [1] **terminate** calls, and which also creates a service list. ...

ieeexplore.ieee.org/iel5/9481/30078/01378107.pdf - [Similar pages](#)

A SIP-based multicast framework in MANET - Communications, 2004 ...

layer control protocol that can establish modify; and **terminate** The group leader waits for a pre-specified **period** of time. **INVITE-TIMER** ...

ieeexplore.ieee.org/iel5/9581/30298/01391725.pdf - [Similar pages](#)

On SIP Session Setup Delay for VoIP Services Over Correlated ...

protocol **session initiation protocol** (SIP) in terms of session. setup delay. SIP. **INVITE** request to the called party UAS B. The **INVITE** ...

ieeexplore.ieee.org/iel5/25/33430/01583936.pdf?arnumber=1583936 - [Similar pages](#)

Design and Implementation of A SIP-Based Mobile and Vehicular ...

until the subscription created by the REFER is **terminated**. To set up a session with UA2, UA1 sends a SIP **INVITE**. request to UA2 containing the SDP that ...

ieeexplore.ieee.org/iel5/25/4356907/04357370.pdf?arnumber=4357370 -

[Similar pages](#)

Mobile voice over IP (MVOIP): an application-level protocol for ...

Rosenberg, "SIP: **Session Initiation Protocol**", RFC 2543., Mar. 1999. A.Helmy, "A multicast-based protocol for. IP. mobility. **support**," Proceedings of NGC ...

ieeexplore.ieee.org/iel5/7810/21465/00995160.pdf - [Similar pages](#)

SIP Vulnerabilities and Anti-SPIT Mechanisms Assessment

Session Initiation Protocol (SIP). This protocol is used not make any further SPIT calls within a certain **period**.. then the corresponding gray level ...

ieeexplore.ieee.org/iel5/4317769/4317770/04317883.pdf?

isnumber=4317770&prod=CNF&arnumber=4317883... - [Similar pages](#)

Seamless SIP-Based Mobility for Multimedia Applications

next-generation heterogeneous wireless networks. **Session Initiation Protocol** (SIP). provides the required abstraction for mobility **support** for multimedia ...

ieeexplore.ieee.org/iel5/65/33765/01607890.pdf?

isnumber=33765&prod=JNL&arnumber=1607890&arSt=... - [Similar pages](#)

On Signaling Efficiency for Call Setup in all-IP Wireless Networks

cols (e.g., **Session Initiation Protocol**, SIP). The most recent frames are used, and considered the effect of early **termination** ...

ieeexplore.ieee.org/iel5/4024074/4024439/04024449.pdf?

isnumber=4024439&prod=CNF&arnumber=4024449... - [Similar pages](#)

Context-aware unified communication - Mobile Data Management, 2004 ...

Session Initiation Protocol to manage communication The caller can then re-send the **INVITE**. request if it is able to **support** any of the callee's data ...

ieeexplore.ieee.org/iel5/8923/28243/01263064.pdf?arnumber=1263064 -

[Similar pages](#)

Service architecture for infrastructure based multi-hop networks ...

some time **period**, in order to minimize transmission delays. between MPs and the Internet or multimedia servers via the. ISC. To **support** the prediction of the ...

ieeexplore.ieee.org/iel5/8586/27215/01209025.pdf - [Similar pages](#)

Monitoring of SIP-Based Communication: Using Signalling ...

Session initiation protocol (SIP) establishes IP te-. lephony calls and multimedia sessions [3]. ... sion description protocol) of the **INVITE** message con- ...

ieeexplore.ieee.org/iel5/11123/35638/01690385.pdf?arnumber=1690385 -

[Similar pages](#)

Mobility Management Alternatives for Migration to Mobile Internet ...

call origination and **termination** are via ANSI-41 phones, while. the remaining 20% are via SIP phones. This is typical of the. time **period** at which migration ...

ieeexplore.ieee.org/iel5/49/28963/01303753.pdf - [Similar pages](#)

Detecting SPIT Calls by Checking Human Communication Patterns

terminate the call because silence checking failed (see section ... [1] J. Rosenberg, C. Jennings, "The **Session Initiation Protocol** ...

ieeexplore.ieee.org/iel5/4288670/4288671/04289000.pdf - [Similar pages](#)

Preserving HTTP Sessions in Vehicular Environments

Session Initiation Protocol (SIP) is widely used as the replacement of H.323 protocol for ... **INVITE** message with the SIP identifier of the peer MH to the ...
ieeexplore.ieee.org/iel5/25/26830/101109TVT2007898374.pdf - [Similar pages](#)

A study on SIP session timer for wireless voip - Wireless ...

termination. By using the SIP Session Timer mechanism, the **Session Initiation Protocol (SIP)** has been considered as the ...
ieeexplore.ieee.org/iel5/9744/30731/01424875.pdf - [Similar pages](#)

Layout 1

(RevA) already support flow-based QoS through. EVDO-specific signaling protocols. In IMS the. **Session Initiation Protocol (SIP)** is primarily ...
ieeexplore.ieee.org/iel5/35/4342838/04342867.pdf?arnumber=4342867 - [Similar pages](#)

Denial of Service Attacks Targeting a SIP VoIP Infrastructure ...

The **Session Initiation Protocol (SIP)** [3] is establishing ... that generate or **terminate** SIP requests, registrars, where users ...
ieeexplore.ieee.org/iel5/65/36007/01705880.pdf?arnumber=1705880 - [Similar pages](#)

REYNOLDS LAYOUT

threshold, it can be **terminated** by the firewall or [1] M. Handley et al., "SIP: **Session Initiation Protocol**," RFC. 2543, Mar. 1999. [2] ITU-T Rec. ...
ieeexplore.ieee.org/iel5/35/22296/01039857.pdf - [Similar pages](#)

Flexible QoS Provisioning for SIP Telephony over DVB-RCS Satellite ...

of new flows and the **termination** of existing flows (thus **Services Utilizing Session Initiation Protocol (SIP)**-based Distributed ...
ieeexplore.ieee.org/iel5/4299028/4299029/04299067.pdf?arnumber=4299067 - [Similar pages](#)

Scidive: a stateful and cross protocol intrusion detection ...

prematurely **terminate** calls, redirect calls, or facilitate toll [3] M. Handley et. al., "SIP: **Session Initiation Protocol**," RFC. 2543, March 1999. ...
ieeexplore.ieee.org/iel5/9172/29105/01311913.pdf - [Similar pages](#)

Caching in I-CSCF of UMTS IP Multimedia Subsystem

the timeout **period** is set too short, then many normal incoming. call setups may be misleadingly **terminated** due to timeouts. If ...
ieeexplore.ieee.org/iel5/7693/33321/01576542.pdf?tp=&isnumber=&arnumber=1576542 - [Similar pages](#)

Layout 1

graceful call **termination**. R. OAMING. In this section we present a network architecture. to **support** roaming for our family example that ...
ieeexplore.ieee.org/iel5/35/4342838/04342867.pdf?tp=&isnumber=4342838&arnumber=4342867 - [Similar pages](#)

SIP Vulnerabilities and Anti-SPIT Mechanisms Assessment

Session Initiation Protocol (SIP). This protocol is used. for establishing communications between maintain and **terminate** multimedia sessions. There are ...
ieeexplore.ieee.org/iel5/4317769/4317770/04317883.pdf?arnumber=4317883 - [Similar pages](#)

A coordination architecture for internet groupwork - Euromicro ...

semination, group coordination **support** for interactive hosts and **termination**, including functions such as leave, with-. drawal, ...
ieeexplore.ieee.org/iel5/7018/18916/00874416.pdf - [Similar pages](#)

Welcome to IEEE Xplore

INVITE initiates the call signaling sequence. **ACK** and **CANCEL** **support** session setup. This is used for connections that **terminate** in a gateway but are ...
ieeexplore.ieee.org/iel5/5/22316/1041060/1041060.html - [Similar pages](#)

UMTS security - Electronics & Communication Engineering Journal

in future releases **support** of a public key infrastructure ... **Session Initiation Protocol (SIP)**. 26. to initiate, **terminate**. and modify multimedia sessions ...
ieeexplore.ieee.org/iel5/2219/23651/01088436.pdf?tp=&arnumber=1088436&isnumber=23651 - [Similar pages](#)

Adaptive multimedia multi-party communication in ad hoc ...

stream adaptation paths in a SIP **INVITE** to the Answerer. As in the **Session Initiation Protocol**. IETF RFC 3262, June 2002. [24] Ruiz, P.-M., Brown, ...
ieeexplore.ieee.org/iel5/8934/28293/01265691.pdf?tp=&arnumber=1265691&isnumber=28293 - [Similar pages](#)

Preserving HTTP Sessions in Vehicular Environments

session initiation protocol (SIP hereafter). Section III presents to directly send an **INVITE** message to the peer MH. Since it is ...
ieeexplore.ieee.org/iel5/25/4305473/04305519.pdf?arnumber=4305519 - [Similar pages](#)

[Unregister Attacks in SIP](#)

ister message in the **Session Initiation Protocol (SIP)**. SIP is a signaling protocol for Internet ... plementing initialization, modification and **termination** ...

ieeexplore.ieee.org/iel5/4110423/4110424/04110434.pdf?

isnumber=4110424&prod=CNF&arnumber=4110434... - [Similar pages](#)